

## Session 3: Secure Computation in the Multi-Party Setting

Benny Pinkas Bar-Ilan University

#### Overview



- Secure computation for more than two parties, computing Boolean circuits.
- GMW (Goldreich-Micali-Wigderson)
  - First, for semi-honest adversaries.
  - Then, general compiler from semi-honest to malicious
  - # rounds depends on circuit depth
  - O. Goldreich, Foundations of Cryptography, Vol. II, Chapter 7.
- BMR (Beaver-Micali-Rogaway)
  - O(1) rounds

## The setting



- $\triangleright$  Parties  $P_1, ..., P_n$
- ▶ Inputs  $X_1,...,X_n$  (bits, but can be easily generalized)
- Outputs  $y_1, ..., y_n$
- The functionality is described as a Boolean circuit.
  - Wlog, uses only XOR (+) and AND gates
  - NOT(x) is computed as a x+1
  - Wires are ordered so that if wire k
    is a function of wires i and j, then
    i<k and j<k.</li>

### The setting



- The adversary controls a subset of the parties
  - This subset is defined before the protocol begins (is "non-adaptive")
  - We will not cover the adaptive case
- Communication
  - Synchronous
  - Private channels between any pair of parties (can be easily implemented using encryption)

#### Adversarial models



- Semi-honest
- Malicious with no abort
  - GMW: A protocol secure any number of malicious parties
- Malicious with abort
  - GMW: A protocol secure against a minority of malicious parties with abort (will not be discussed here).

#### Protocol for semi-honest setting



#### The protocol:

- Each party shares its input bit
- Scan the circuit gate by gate
  - Input values of gate are shared by the parties
  - Run a protocol computing a sharing of the output value of the gate
  - Repeat
- Publish outputs

#### Protocol for semi-honest setting




#### The protocol:

- Each party shares its input bit
- The sharing procedure:
  - $P_i$  has input bit  $x_i$
  - It chooses random bits  $r_{i,i}$  for all  $i \neq j$ .
  - Sends bit  $r_{i,j}$  to  $P_j$ .
  - Sets its own share to  $r_{i,i} = x_i + (\sum_{j \neq i} r_{i,j}) \mod 2$
  - Therefore  $\Sigma_{j=1...n} r_{i,j} = x_i \mod 2$ .
- Now every  $P_j$  has n shares, one for each input  $x_i$  of each  $P_i$ .

## Evaluating the circuit



- Scan circuit by the order of wires
- Wire c is a function of wires a,b
- P<sub>i</sub> has shares a<sub>i</sub>, b<sub>i</sub>. Must get share of c<sub>i</sub>.



#### Addition gate:

- $\triangleright$  P<sub>i</sub> computes  $c_i = a_i + b_i$ .
- Indeed,  $c = a+b \pmod{2} = (a_1+...+a_n) + (b_1+...+b_n) = (a_1+b_1)+...+(a_n+b_n) = c_1+...+c_n$

#### Evaluating multiplication gates



$$c = a \cdot b = (a_1 + ... + a_n) \cdot (b_1 + ... + b_n) = 
Σ_{i=1...n} a_i b_i + Σ_{i\neq j} a_i b_j = 
Σ_{i=1...n} a_i b_i + Σ_{1\leq i < j \leq n} (a_i b_j + a_j b_i)$$

- ▶ P<sub>i</sub> will obtain a share of  $a_ib_i + \sum_{i < j \le n} (a_ib_j + a_jb_i)$
- Computing a<sub>i</sub>b<sub>i</sub> by P<sub>i</sub> is easy
- What about  $a_ib_i + a_jb_i$ ?
- P<sub>i</sub> and P<sub>j</sub> run the following protocol for every i<j.</p>

#### Evaluating multiplication gates



- Input:  $P_i$  has  $a_i,b_i$ ,  $P_j$  has  $a_j,b_j$ .
- P<sub>i</sub> outputs  $a_ib_j+a_jb_i+s_{i,j}$ . P<sub>j</sub> outputs  $s_{i,j}$ .
- ▶ **P**<sub>j</sub>:
  - Chooses a random s<sub>i,j</sub>
  - Computes the four possible outcomes of  $a_ib_j+a_jb_i+s_{i,j}$ , depending on the four options for  $P_i$ 's inputs.
  - Sets these values to be its input to a 1-out-of-4 OT
- P<sub>i</sub> is the receiver, with input 2a<sub>i</sub>+b<sub>i</sub>.

## Recovering the output bits



- The protocol computes shares of the output wires.
- Each party sends its share of an output wire to the party P<sub>i</sub> that should learn that output.
- P<sub>i</sub> can then sum the shares, obtain the value and output it.

## **Proof of Security**



- Recall definition of security for semi-honest setting:
  - Simulation Given input and output, can generate the adversary's view of a protocol execution.
- Suppose that adversary controls the set J of all parties but P<sub>i</sub>.
- The simulator is given  $(x_j, y_j)$  for all  $P_j \in J$ .

#### The simulator



- ▶ Shares of input wires:  $\forall j \in J$  choose
  - a random share  $r_{i,i}$  to be sent from  $P_i$  to  $P_i$ ,
  - and a random share  $r_{i,j}$  to be sent from  $P_i$  to  $P_j$ .
- Shares of multiplication gate wires:
  - ∀j<i, choose a random bit as the value learned in the 1-out-of-4 OT.
  - \(\forall j > i\), choose a random s<sub>i,j</sub>, and set the four inputs of the OT accordingly.
- **Output wire**  $y_j$  of j ∈ J: set the message received from  $P_i$  as the XOR of  $y_j$  and the shares of that wire held by  $P_i ∈ J$ .

## Security proof



- The output of the simulation is distributed identically to the view in the real protocol
  - Certainly true for the random shares  $r_{i,j}$ ,  $r_{j,i}$  sent from and to  $P_i$ .
  - OT for j<i: output is random, as in the real protocol.</li>
  - OT for j<i: input to the OT defined as in the real protocol.
  - Output wires: message from P<sub>i</sub> distributed as in the real protocol.
- QED

#### Performance



#### Must run an OT for every multiplication gate

- Namely, public key operations per multiplication gate
- Need a communication round between all parties per every multiplication gate
- Can process together a set of multiplication gates if all their input wires are already shared
- Therefore number of rounds is O(d), where d is the depth of the circuit (counting only multiplication gates).

## The BMR protocol



- Beaver-Micali-Rogaway
- A multi-party version of Yao's protocol
- Works in O(1) communication rounds, regardless of the depth of the Boolean circuit.
  - D. Beaver, S. Micali and P. Rogaway, "The round
  - complexity of secure protocols", 1990.
  - A. Ben-David, N. Nisan and B. Pinkas,
     "FairplayMP A System for Secure Multi-Party Computation", 2010.

## The BMR protocol



- Two random seeds (garbled values) are set for every wire of the Boolean circuit:
  - Each seed is a concatenation of seeds generated by all players and secretly shared among them.
- The parties securely compute together a 4x1 table for every gate (in parallel):
  - Given 0/1 seeds of the input wires, the table reveals the seed of the resulting value of the output wire.

## The BMR protocol



- The parties securely compute together a 4x1 table for every gate (in parallel):
  - This is essentially a secure computation of the table
  - But all tables can be computed in parallel. Therefore O(1) rounds.
  - This is the main bottleneck of the BMR protocol.
- Given the tables, and seeds of the input values, it is easy to compute the circuit output.

#### The malicious case



- What can go wrong with malicious behavior?
  - Using shares other than those defined by the protocol, using arbitrary inputs to the OT protocol and sending wrong shares of output wires...
- We will show a compiler which forces the parties to operate as in the semi-honest model. (For both GMW and BMR.)
- The basic idea:
  - In every step, each P<sub>i</sub> proves in zero knowledge that its messages were computed according to the protocol

### Zero knowledge

(more on this tomorrow)



- Prover P, verifier V, language L
- $\triangleright$  P proves that  $x \in L$  without revealing anything
  - Completeness: V always accepts when x∈L, and an honest P and V interact.
  - Soundness: V accepts with negligible probability when x∉L, for any P\*-
    - Computational soundness: only holds when P\* is polynomial-time
- Zero-knowledge:
  - There exists a simulator S such that S(x) is indistinguishable from a real proof execution.

### A warm-up



- Assume that each  $P_i$  runs a deterministic program  $\Pi_i$ . The compiler is the following:
  - Each  $P_i$  commits to its input  $x_i$  by sending  $C_i(r_i,x_i)$ , where  $r_i$  is a random string used for the commitment.
  - Let T<sub>i</sub>s be the transcript of P<sub>i</sub> at step s, i.e. all messages received and sent by P<sub>i</sub> until that step.
  - Define the language  $L_i = \{T_i^s \text{ s.t. } \exists x_i, r_i \text{ so that all messages sent by } P_i \text{ until step s are the output of } \Pi_i \text{ applied to } x_i, r_i \text{ and to all messages received by } P_i \text{ up to that step} \}$
  - When sending a message in step s prove in zero-knowledge that  $T_i^s \in L_i$ .

#### Handling randomized protocols



- The previous construction assumes that Pi's program,  $\Pi_i$ , is deterministic.
- This is not true in the semi-honest protocol we have seen.
  - In particular, the choice of shares, and the sender's input to the OT, must be random.
  - The compiler must ensure that P<sub>i</sub> chooses its random coins independently of the messages received from other parties.
  - This is not ensured by the previous construction.

## The compiler



- We will describe the basic issues of a protocol secure against any number of malicious parties, but with no aborts allowed.
- Communication model:
  - Messages are published on a bulletin board, and can be read by all parties.
  - This implements a broadcast, ensuring that all parties receive the same message,
  - Broadcast can be easily implemented if a public key infrastructure exists.
  - We assume that a PKI does exist.

## The compiler



#### Input commitment phase:

Each party commits to its input.

#### Coin generation phase:

- The parties generate random tapes for each other.
- Initial idea: random tape of  $P_i$  is defined as  $s_{1,i} \oplus s_{2,i} \oplus ... \oplus s_{n,i}$ , where  $s_{j,i}$  is chosen by  $P_j$ .
- But this lets P<sub>n</sub> control the outcome 🕾

#### Protocol emulation phase:

 Run the protocol while proving that parties operations comply with their inputs and random tapes.

## The protocol: Input commitment phase



- The required functionality for  $P_1$  is  $(x,1^{|x|},...1^{|x|}) \rightarrow (r,C_r(x),...C_r(x)),$  and similarly for each  $P_i$ .
- It is not sufficient to ask P<sub>i</sub> to just broadcast a commitment of its input
  - This does not ensure that this is a random commitment for which P<sub>i</sub> knows a decommitment.
- ▶ The protocol is more complex...
- It is useful to first design tools that can help in constructing the compiler.

## Tool 1: image transmission



- The required functionality is  $(a,1^{|a|},...1^{|a|}) \rightarrow (\lambda,f(a),...,f(a))$  (all receive the same function of a)
- Protocol
  - P<sub>1</sub> broadcasts an encryption of f(a)
  - For j=2...n,  $P_1$  proves to  $P_j$  a zero-knowledge strong proof of knowledge of a value a corresponding to f(a).
  - If P<sub>j</sub> rejects, it broadcasts the coins it used in the proof.
- Output: For j=2...n, if P<sub>j</sub> sees a justifiable rejection it aborts, otherwise it outputs f(a).

## Tool 1: image transmission



The required functionality is

$$(a,1^{|a|},...1^{|a|}) \rightarrow (\lambda,f(a),...,f(a))$$

- Agreement as to whether P<sub>1</sub> misbehaved is reduced to the decision on whether some verifier has justifiably rejected the proof.
- ▶ If P₁ is honest, then no malicious party can claim that it cheated.

#### Tool 2: authenticated computation



- The required functionality is  $(a,b_2,...,b_n) \rightarrow (\lambda,v_2,...,v_n)$ , where  $v_j = f(a)$  if  $b_i = h(a)$  and  $v_i = \lambda$  otherwise.
- Protocol:
  - Use the image transmission tool to broadcast (f(a),h(a)) to all  $P_i$ , j=2...n.
  - $P_j$  outputs f(a) if  $v_j = h(a)$ , and  $\lambda$  otherwise.
- Comment: P<sub>j</sub> learns a function f(a) of a, if it already has the function h(a) (e.g., if it has a commitment to a)

#### Tool 3: multi-party augmented cointossing



- The required functionality is  $(1^n,...,1^n) \rightarrow (r,g(r),...,g(r))$ .
- ► Typically we will use it for computing  $(1^n,...,1^n) \rightarrow ((r,s), C_s(r),..., C_s(r))$ .
- The challenge: ensuring that P<sub>1</sub>'s output is random. We cannot trust P<sub>1</sub> to choose a random output.

#### Tool 3: multi-party augmented cointossing



- $(1^n,...,1^n) \rightarrow ((r,s), C_s(r),..., C_s(r)).$ 
  - Toss and commit:  $\forall i$ ,  $P_i$  chooses  $r_i$ ,  $s_i$  and uses the image transmission tool to send  $c_i = C_{Si}(r_i)$  to all  $P_i$ .
  - Open commits:  $\forall i \geq 2$ ,  $P_i$  uses the authenticated computation tool to send  $s_i, r_i$  to all parties that already have  $c_i$ .
  - If  $P_j$  obtains  $r_i$  agreeing with  $c_i$ , it sets  $r_i^j = r_i$  (also,  $r_j^j = r_j$ ). Otherwise it aborts.
  - If  $P_1$  did not abort, it sets  $r = \bigoplus_{i=1...n} r_i$  sends  $C_s(r)$  to all other parties, and proves that it was constructed correctly.

## Tool 3: multi-party augmented coin-tossing (contd.)



- $ightharpoonup P_1$  sends  $C_s(r)$  to all other parties, and <u>proves</u> that it was constructed correctly.
- Run the authenticated computation functionality
  - P<sub>1</sub> chooses a random s. Its input to the protocol is  $(r_1,s_1,s,\oplus_{j=2...n}r_i^{-1})$
  - P<sub>j</sub>'s input is  $c_1$ ,  $\bigoplus_{j=2...n} r_i^j$ .
  - If  $c_1 = C_{S1}(r_1)$  and  $\bigoplus_{j=2...n} r_i^j = \bigoplus_{j=2...n} r_i^1$ , then  $P_j$  outputs  $C_s(\bigoplus_{i=1...n} r_i) = C_s(r)$ . Otherwise it aborts.
  - $ightharpoonup P_1$  outputs r.

# The main protocol: Input commitment phase



#### Protocol:

- $P_i$  chooses random  $r'_i$  and uses image transmission functionality to send  $c' = C_{r'_i}(x_i)$  to all parties.
- Run augmented coin-tossing protocol s.t.  $P_i$  learns  $(r_i, r_i^n)$  and others learn  $c'' = C_{r_i^n}(r_i)$ .
- Run authenticated computation where  $P_i$  has input  $(x_i,r_i,r_i',r_i',r_i')$  and others input (c',c''), and others learn  $C_{ri}(x_i)$  if (c',c'') are the required functions of  $P_i$ 's input.

# The main protocol: coin generation phase



- Each P<sub>i</sub> runs the augmented coin tossing protocol where
  - P<sub>i</sub> learns (r<sup>i</sup>,s<sup>i</sup>)
  - The other parties learn  $C_{si}(r^i)$ .

## The main protocol: Protocol emulation phase



- The parties use the authenticated computation functionality
  - $(a,b_2,...,b_n) \rightarrow (\lambda,v_2,...,v_n)$ , where  $v_j = f(a)$  if  $b_j = h(a)$  and  $v_j = \lambda$  otherwise.
- Suppose that it is P<sub>i</sub>'s turn to send a message
  - Its input is  $(x_i, r^i, T_t)$ , as well as the coins used for commitments, where  $T_t$  is the sequence of messages exchanged so far.
  - Every other party has input  $(C(x_i), C(r^i), T_t)$
  - $f(x_i, r^i, T_t)$  is the message  $P_i$  must send
  - It is accepted if (C(x<sub>i</sub>),C(r<sub>i</sub>),T) agree with x<sub>i</sub>,r<sub>i</sub>,T and the program that is run

## Summary



- Can compute any functionality securely in presence of semi-honest adversaries
- Protocol is efficient enough for use, for circuits that are not too large
- Recommendation: read full proof (Goldreich's book).